AMENDMENTS TO THE CLAIMS:

٠,

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Currently amended) A resin composition comprising a polyphenylene ether and a flame retardant, wherein said polyphenylene ether is obtained by polymerizing a monomer comprising 100 parts by weight of 2,6-dimethylphenol and 0.5-7.5 from 1.0-7.5 parts by weight of ortho cresol in the presence of a catalyst and an oxygen-containing gas.
- 2. (Currently amended) The resin composition according to [[item]] claim 1 above, wherein said polyphenylene ether has a molecular weight distribution of 2.8-8.0.
- 3. (Currently amended) The resin composition according to [[item]] claim 1 above, wherein said resin composition further includes a styrene resin.
- 4. (Currently amended) The resin composition according to [[item]] claim 3 above, which comprises from 5-95 parts by weight of the polyphenylene ether, from 95-5 parts by weight of the styrene resin and from 1-30 parts by weight, based on 100 parts by weight of the polyphenylene ether and the styrene resin, of the flame retardant.
- 5. (Currently amended) The resin composition according to [[item]] claim 1 above, wherein said flame retardant is at least one compound selected from the group consisting of a halogen compound, a silicone compound and a phosphorous compound.

6. (Currently amended) A process for producing a resin composition comprising a polyphenylene ether and a flame retardant, which comprises:

polymerizing a monomer comprising 100 parts by weight of 2,6-dimethylphenol and 0.5-7.5 from 1.0-7.5 parts by weight of ortho cresol in the presence of a catalyst and an oxygen-containing gas to obtain a polyphenylene ether, and

mixing said polyphenylene ether with a flame retardant.

- 7. (Currently amended) The process according to [[item]] <u>claim</u> 6 above, wherein said monomer is 2,6-dimethylphenol containing ortho cresol.
- 8. (Currently amended) The process according to [[item]] <u>claim</u> 6 above, wherein said 2,6-dimethylphenol and said ortho cresol are separately fed.
- 9. (Currently amended) The process according to [[item]] <u>claim</u> 6 above, wherein said catalyst comprises a copper compound, a halogen compound and a diamine compound represented by the following formula (1):

$$R_{1}$$
 $N-R_{5}-N$ (1)

wherein R_1 , R_2 , R_3 and R_4 each independently represents a hydrogen or a linear or branched C_{1-6} alkyl group, with the proviso that they do not represent hydrogen at the same time; and R_5 represents a linear or methyl-branched C_{2-5} alkylene group.

10. (Currently amended) The process according to [[item]] <u>claim</u> 9 above, wherein said catalyst further comprises at least one of a tertiary monoamine compound [[and]] <u>or</u> a secondary monoamine compound.

11. (Currently amended) A polyphenylene ether having <u>a</u> molecular weight distribution of <u>from</u> 2.8-8.0, which is obtained by polymerizing a monomer comprising 100 parts by weight of 2,6-dimethylphenol and 0.5-7.5 <u>from 1.0-7.5</u> parts by weight of ortho cresol in the presence of an oxygen-containing gas and a catalyst comprising a copper compound, a halogen compound and a diamine compound represented by the following formula (1):

$$\begin{array}{ccc}
R_1 & R_3 \\
N-R_5-N & (1) \\
R_2 & R_4
\end{array}$$

wherein R_1 , R_2 , R_3 and R_4 each independently represents a hydrogen or a linear or branched C_{1-6} alkyl group, with the proviso that they do not represent hydrogen at the same time; and R_5 represents a linear or methyl-branched C_{2-5} alkylene group.

-4-